

ELC Polygon: # 15C Assessment Type: ☒-Visual; no access / ☐-Walk through featureExtent of Physical Investigation of Feature: ☐-Entire / ☐-Partial, walk through polygon (indicate on map)**Reptile / Bat Hibernacula Features:**

Contains potential reptile hibernacula features?

☐-Y* / ☐-N / ☐-Unknown, no access (*if yes, describe in table below)

[i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]

Contains potential bat hibernacula features?

☐-Y* / ☐-N / ☒-Unknown, no access (*if yes, describe in table below)

[i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features:

Contains potential bat roosting features?

☐-Y* / ☐-N / ☐-Unknown, no access (*if yes, describe in table below)

[i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests:

Contains large stick nests?

☐-Y* / ☐-N / ☐-Unknown, no access (*if yes, describe in table below)**STICK NEST(S) IDENTIFIED**

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools:

Contains seeps/springs/vernal pools?

☐-Y* / ☐-N / ☐-Unknown, no access (*if yes, describe in table below)**SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED**

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

--	--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scar; SF=other sign; TK=track; VO=vocalization

ELC Polygon: # 150 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☐-N / ☒-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]

Contains potential bat hibernacula features?
☐-Y* / ☐-N / ☒-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☐-N / ☒-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☐-N / ☒-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☐-N / ☒-Unknown, no access (*if yes, describe in table below)


SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED


UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=seat; SI=other sign; TK=track; VO=vocalization

Fig 15
ELC NRWC
C. Ross
Oct. 18, 2012





V:\1609\Aerial\160950269\planning\drawing\mxd\20121015_Collector_Line_Update\160950269_Figure_X_New_Survey_Areas_Mapbook.mxd
 Revised: 2012-10-17 By: bowper



Legend

- | | | |
|----------------------------|--|---|
| Project Study Area | Proposed Turbine Location | Temporary Laydown Area |
| Interconnector Study Area | Turbine Blade Length | Collector Lines – Underground or Overhead |
| Signed Property | Tap-in Location | Fibre Optic Line |
| Potential Signed Property | Potential Transformer Station Location | Potential Access Road |
| 120m Zone of Investigation | Junction Box | Potential Construction Laydown Area |
| Additional Survey Area | Preferred Transmission Line Route | Transformer Substation |
| ELC Boundary | Potential Alternative Transmission Line Routes | |

Notes

1. Coordinate System: NAD 1983 UTM Zone 17N.
2. Base features produced under license with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2011.
3. Orthoimagery source: First Base Solutions, Date Spring 2010.



Client/Project

Niagara Region Wind Corporation
 Natural Heritage Assessment Report

Figure No.
 X.16

Title
**Potential Additional
 Survey Areas
 Figure X.16**

POLYGON DESCRIPTION

STAND DESCRIPTION:

T CODES: 1=25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m
VR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤50% 4=50.2<CVR≤80% 5=80.2<CVR≤100%

Oil Analysis:

COMMUNITY CLASSIFICATION:

dence of Disturbance / Notes:

LAYERS: 1=CANOPY>10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT

Page ____ of ____

Signature:

(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature:

(Project Manager)



Stantec Consulting Ltd.
1 - 70 Southgate Drive
Guelph, ON
Canada N1G 4P5
Tel: (519) 836-6050
Fax: (519) 836-2493

Woodland & Wildlife Habitat Assessment Form

Project Number: 160950269

Project Name: X/RWC

Date: June 8

Field Personnel: N. Charlton

Weather Conditions:

TEMP (°C):

25

WIND:

2

CLOUD:

50

PPT:

PPT (in last 24 hrs):

ELC Polygon: #11-1 Assessment Type: ☐-Visual; roadside, no access / ☒-Physical; walk through feature

Extent of Physical Investigation of Feature: ☒-Entire / ☐-Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features:

Contains potential reptile hibernacula features?

☐-Y* / ☐-N / ☐-Unknown, no access (*if yes, describe in table below)

☐-Y / ☐-N / ☐-Unknown, no access (If yes, describe in table below)
[i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]

Contains potential bat hibernacula features?

☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

[i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

POTENTIAL HIBERNACULA FEATURES IDENTIFIED			
UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features:

Contains potential bat roosting features?

☐-Y* / ☐-N / ☐-Unknown, no access (*if yes, describe in table below)

(i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree)

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests:

Contains large stick nests?

☐-Y* / ☐-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools:

Contains seeps/springs/vernal pools?

☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?


SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=careass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scar; SI=other sign; TK=track; VO=vocalization



Legend

- Proposed T Line Route
- Proposed Collector 120m Buffer
- Turbines in Signed Lands
 - Standard Turbine (105 dBA)
 - Potential Turbine Locations
- Turbines in Unsigned Lands
 - Standard Turbine (105 dBA)
 - 51 m Turbine Setback
- Proposed Collector Cable
- Alternate Collector Cable Route
- Preliminary Study Area
- Signed Property
- Signed Property - Outside Study Area
- Potential Signed Property
- Potential Signed Property - Outside Study Area
- ELC Boundary
- Provincially Significant Wetland
- Other/Locally Significant Wetland
- Property Boundary



Notes

- Coordinate System: NAD 1983 UTM Zone 17N.
- Base features produced under license with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2012.



Stantec

June, 2012
160950269

Client/Project

Niagara Region Wind Corporation
Amphibian Field Maps

Figure No.

11

Title

Proposed Collector Route
Map 11



Coll. Tile 11', Roadside ELC,
Poly 11-1 Woodland & Wildlife Habitat
Assessment Form

Project Name: NRWC ELC

Field Personnel: A. D. charmé

Weather Conditions:	TEMP (°C): 20	WIND: light	CLOUD: cloudy	PPT: —	PPT (in last 24 hrs): —
---------------------	------------------	----------------	------------------	-----------	----------------------------

TOPOGRAPHIC FEATURE		HISTORY
☐ LACUSTRINE	☐ TALUS	☒ NATURAL
☐ RIVERINE	☐ CREVICE / CAVE	☒ CULTURAL
☐ BOTTOMLAND	☐ ALVAR	
☐ TERRACE	☐ ROCKLAND	
☐ VALLEY SLOPE	☐ BEACH / BAR	
☒ TABLELAND	☐ SAND DUNE	
☐ ROLL. UPLAND	☐ BLUFF	
☐ CLIFF		

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	2	1	ACESASA = PICABIE > ULMAMER
2	SUB-CANOPY	—	—	—
3	UNDERSTOREY	—	—	—
4	GRD. LAYER	7	4	GRASS sp.

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	R	<10	R	10 - 24	N	25 - 50	N	>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	YOUNG	MID-AGE	☒ MATURE	OLD GROWTH
-----------------	---------	-------	---------	--	------------

VEGETATION TYPE: <i>Mixed Cultural Meadow?</i>		CODE: <i>1C4M?</i>
COMPLEX		CODE:

Evidence of Disturbance / Notes: trees ~ 20-30 cm DBH

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:


(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature:

(Project Manager)

ELC Polygon: # 11-1 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED			
UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED							
UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED						
UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature	

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED							
UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?	

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=carcass; DI=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



td. Coll. Tile 11; Roadside ELC,
Poly 11-2 Woodland & Wildlife Habitat
Assessment Form

Weather Conditions:	TEMP (°C): 20	WIND: light	CLOUD: cloudy	PPT: —	PPT (in last 24 hrs): —
---------------------	------------------	----------------	------------------	-----------	----------------------------

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON: 11-2	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☒ VALLEY SLOPE ☐ TABLELAND ☐ ROLL UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☒ NATURAL ☐ CULTURAL
	START TIME: 10:15			
	END TIME: 10:30			

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	—	—	
2	SUB-CANOPY	3	1	DEAD TREE
3	UNDERSTOREY	4	2	A >> GRASS sp. > QUEMACR
4	GRD. LAYER	5-6	4	SOLCANA > GRASS sp. > ASCSYL

VEGETATION TYPE: Dry-Moist Old Field meadow Hedgerow		CODE: HOD/CUM1-1
COMPLEX		CODE:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

(Project Manager)

ELC Polygon: # 11-2 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature


Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization REV: 2012-01-03



Project Number: 160950269
Date: 27 June 2012

Project Name: NRWCELC
Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 20	WIND: light	CLOUD: cloudy	PPT: —	PPT (in last 24 hrs): —
---------------------	------------------	----------------	------------------	-----------	----------------------------

ELC

COMMUNITY DESCRIPTION & CLASSIFICATION

POLYGON:	11-3	☐ LACUSTRINE	☐ TALUS	☒ NATURAL
START TIME:	10:30	☐ RIVERINE	☐ CREVICE / CAVE	☐ CULTURAL
		☐ BOTTOMLAND	☐ ALVAR	
		☐ TERRACE	☐ ROCKLAND	
		☐ VALLEY SLOPE	☐ BEACH / BAR	
END TIME:	10:45	☒ TABLELAND	☐ SAND DUNE	
		☐ ROLL UPLAND	☐ BLUFF	
		☐ CLIFF		

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	—	—	
2	SUB-CANOPY	—	—	
3	UNDERSTOREY	5	4	TYRANGU
4	GRD. LAYER	—	—	

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	N	<10	N	10-24	N	25-50	N	>50
-----------------	---	-----	---	-------	---	-------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	☒ YOUNG	☐ MID-AGE	☐ MATURE	☐ OLD GROWTH
-----------------	---------	---	----------------------------------	---------------------------------	-------------------------------------

VEGETATION TYPE:		CODE:
Ditch - Cattail Mineral Shallow Marsh		MAS 2-1
COMPLEX		CODE:

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature: A. K.
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature: _____
(Project Manager)

ELC Polygon: # 11-3 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=carcass; DI=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Coll. Tile 11, Roadside ELC,
Box 11-4 Woodland & Wildlife Habitat
Assessment Form

Date: 27 June 2012 Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 22	WIND: light	CLOUD: cloudy	PPT: —	PPT (in last 24 hrs): —
---------------------	------------------	----------------	------------------	-----------	----------------------------

TOPOGRAPHIC FEATURE	HISTORY
---------------------	---------

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON: 11-4	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☒ TABLELAND ☐ ROLL UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☒ NATURAL ☐ CULTURAL
	START TIME: 10:45			
	END TIME: 11:15			

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	—	—	
2	SUB-CANOPY	3	2	LONTART >> CORRACE > J46N16R
3	UNDERSTOREY	4	4	LONTART > SOLCANA > TYPANGU
4	GRD. LAYER	5-6	4	SOLCANA > TYPANGU > DIPFULL

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	0	<10	R	10 - 24	N	25 - 50	N	>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	☒ YOUNG	☐ MID-AGE	☐ MATURE	☐ OLD GROWTH
-----------------	---------	---	----------------------------------	---------------------------------	-------------------------------------

VEGETATION TYPE: Shrub Fen?		CODE: FES?
COMPLEX		CODE:

Evidence of Disturbance / Notes:

Birds eating berries. - bitter.

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

Ar-R
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature:

~~(Project Manager)~~

ELC Polygon: # 11-4 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]

Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

(This area is for listing species and habitat observations, and indicating their location on the map. The map area is currently blank.)

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Coll. File 11; Roadside ELC,
Poly 11-5 Woodland & Wildlife Habitat
Assessment Form

Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 23	WIND: light	CLOUD: cloudy	PPT: —	PPT (in last 24 hrs) —
---------------------	------------------	----------------	------------------	-----------	---------------------------

ELC

COMMUNITY DESCRIPTION & CLASSIFICATION

END TIME: 11:20

☐ LACUSTRINE	☐ TALUS	☒ NATURAL
☐ RIVERINE	☐ CREVICE / CAVE	☐ CULTURAL
☐ BOTTOMLAND	☐ ALVAR	
☐ TERRACE	☐ ROCKLAND	
☐ VALLEY SLOPE	☐ BEACH / BAR	
☒ TABLELAND	☐ SAND DUNE	
☐ ROLL UPLAND	☐ BLUFF	
☐ CLIFF		

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	2	4	FAGGRAN77 mixed LOD.
2	SUB-CANOPY	3	4	FAGGRAN77 mixed LOD
3	UNDERSTOREY	4-5	3	mixed LOD
4	GRD. LAYER	6-7	4	SACANA77 grasses

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	0	<10	R	10 - 24	N	25 - 50	N	>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	YOUNG	☒ MID-AGE	MATURE	OLD GROWTH
-----------------	---------	-------	---	--------	------------

VEGETATION TYPE: Fresh-Moist Lowland Decid. Forest CODE: FOD7

	COMPLEX		CODE:
--	---------	--	-------

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

A: M
(Field Personnel)

re: 
(Project Manager)

Extent of Physical Investigation of Feature: ☐-Entire / ☐-Partial, walk through polygon (*indicate on map*)

Contains potential reptile hibernacula features?

[i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]

☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Contains potential bat roosting features?

[i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Contains ~~large~~ stick nests?

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Contains ~~seeps~~/springs/vernal pools?

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

_____ (name, species and type of observation to indicate on map)

REV: 2012-01-03

 Stantec Consulting Ltd.
1 - 70 Southgate Drive
Guelph, ON
Canada N1G 4P5
Tel: (519) 836-6050
Fax: (519) 836-2493

Coll. Tile 11, Poly 11-Sb

Roadside ELC, Woodland & Wildlife Habitat Assessment Form

Project Number: 160950269 Project Name: NRWC ELC
Date: 27 June 2012 Field Personnel: A. Ducharme

Weather Conditions: TEMP (°C): 23 WIND: light CLOUD: cloudy PPT: — PPT (in last 24 hrs): —

ELC COMMUNITY DESCRIPTION & CLASSIFICATION

POLYGON: 11-5
START TIME: 12:00
END TIME: 12:15

☐ LACUSTRINE ☐ TALUS ☐ NATURAL
☐ RIVERINE ☐ CREVICE / CAVE ☐ CULTURAL
☐ BOTTOMLAND ☐ ALVAR
☐ TERRACE ☐ ROCKLAND
☐ VALLEY SLOPE ☐ BEACH / BAR
☐ TABLELAND ☐ SAND DUNE
☐ ROLL UPLAND ☐ BLUFF
☐ CLIFF

STAND DESCRIPTION:

LAYER	HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1 CANOPY	1-7	3	QUERUBR > QUEMACR = JUGNIGR
2 SUB-CANOPY	3-4	3	QUERUBR > FAGGRAN > LONTART
3 UNDERSTOREY	5-6	4	GRASS sp. > CRASUCC = LONTART
4 GRD. LAYER	7-8	3	GRASS sp. > SOLCANA

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS: 1 A <10 0 10-24 1 N 25-50 1 N >50

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY: 1 PIONEER 1 YOUNG 1 MID-AGE 1 MATURE 1 OLD GROWTH

VEGETATION TYPE: Dry-Fresh Oak-Hardwood Deciduous Forest CODE: FOD2-4

COMPLEX CODE:

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

SPECIES CODE	LAYER				DISTANCE FROM RD.		COLL.
	1	2	3	4	≤5 m	>5 m	
TREES:							
ACESASA	O	O	R	N	O	O	
TILAMER	O	O	R	N	O	O	
ACESACC	O	O	R	N	O	O	
QUEMACR	O	O	R	N	O	O	
QUERUBR	D	A	R	N	O	O	
JUGNIGR	O	O	R	N	A	O	
CAROVAT	O	O	R	N	O	O	
FAGGRAN	O	A	R	N	A	O	
TILCORD	N	O	R	N	O	O	
ULMAMER	O	O	R	N	O	O	
SHRUBS:							
CRASUCC	—	O	O	N	O	O	
LONTART	—	A	O	N	O	O	
CORRACE	—	D	O	N	O	O	
GROUND:							
GRASS sp.	—	—	D	D	D	D	
SOLCANA	—	—	O	O	A	O	

Signature: A. Ducharme
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒
Signature: [Signature]
(Project Manager)

Extent of Physical Investigation of Feature: ☐-Entire / ☐-Partial, walk through polygon (*indicate on map*)

Reptile / Bat Hibernacula Features:	Contains potential reptile hibernacula features?
	☐ -Y* / ☐ -N / ☐ -Unknown, no access (<i>*if yes, describe in table below</i>) [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
	Contains potential bat hibernacula features?
	☐ -Y* / ☐ -N / ☐ -Unknown, no access (<i>*if yes, describe in table below</i>) [i.e. karst topography, abandoned mines or caves]

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

REV: 2012-01-03



Coll. Tile 11;
ply 11-6 Wood

Roadside ELC, Woodland & Wildlife Habitat Assessment Form

Project Number: 160950269

Project Name: NRWC ELL

Date: 27 June 2012

Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 23	WIND: light	CLOUD: cloudy	PPT: —	PPT (in last 24 hrs): —
---------------------	------------------	----------------	------------------	-----------	----------------------------

POLYGON DESCRIPTION

ELC COMMUNITY DESCRIPTION & CLASSIFICATION		TOPOGRAPHIC FEATURE		HISTORY
		☐ LACUSTRINE ☒ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☐ TABLELAND ☐ ROLL UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☒ NATURAL ☐ CULTURAL
POLYGON: 11-6 START TIME: 12:15 END TIME: 12:30				

STAND DESCRIPTION:

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	—	—	—
2	SUB-CANOPY	—	—	—
3	UNDERSTOREY	—	—	—
4	GRD. LAYER	7	2	Nyctagria

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	N	<10	N	10 - 24	N	25 - 50	N	>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	☒ YOUNG	☐ MID-AGE	☐ MATURE	☐ OLD GROWTH
-----------------	---------	---	----------------------------------	---------------------------------	-------------------------------------

VEGETATION TYPE:		CODE:
Floating-Leaved Shallow Aquatic		SAF?
COMPLEX		CODE:

Evidence of Disturbance / Notes:

difficult to see other species
- river with wetland veg.

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

AJR
(Field Personnel)

Quality Control: This form is ~~is~~ complete ☒ & legible ☒.

Signature:

Control This form is complete ☒ & leg
re: RL
(Project Manager)

ELC Polygon: # 11-6 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HIO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Coll. Tile 11; Roadside ELC,
Poly 11-7 Woodland & Wildlife Habitat
Assessment Form

Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 23	WIND: light	CLOUD: cloudy	PPT: —	PPT (in last 24 hrs): —
---------------------	------------------	----------------	------------------	-----------	----------------------------

ELC

COMMUNITY DESCRIPTION & CLASSIFICATION

END TIME: 12:45

TOPOGRAPHIC FEATURE		HISTORY
☐ LACUSTRINE	☐ TALUS	☒ NATURAL
☐ RIVERINE	☐ CREVICE / CAVE	☐ CULTURAL
☐ BOTTOMLAND	☐ ALVAR	
☐ TERRACE	☐ ROCKLAND	
☐ VALLEY SLOPE	☐ BEACH / BAR	
☒ TABLELAND	☐ SAND DUNE	
☐ ROLL. UPLAND	☐ BLUFF	
☐ CLIFF		

CANOPY

SPECIES IN ORDER OF DECREASING DOMINANCE
(>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)

1	CANOPY	—	—	—
2	SUB-CANOPY	—	—	—
3	UNDERSTOREY	4-5	4	GLASS sp = VITIVIN > S ₆ LCANA > DIPFULL
4	GRD. LAYER	6-7	3	GRASS sp.

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	R	<10	N	10 - 24	N	25 - 50	N	>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	☒ PIONEER	☐ YOUNG	☐ MID-AGE	☐ MATURE	☐ OLD GROWTH
-----------------	---	--------------------------------	----------------------------------	---------------------------------	-------------------------------------

VEGETATION TYPE: Meadow-Marsh or Cultural Meadow CODE: MAM/CUM

COMPLEX

CODE:

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature:

(Project Manager)

ELC Polygon: # 11-7 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED


UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)


--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Coll. Tile 11; Roadside ELC,
July 11-8 Woodland & Wildlife Habitat
Assessment Form

Date: 27 June 2012 Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 23	WIND: light	CLOUD: cloudy	PPT: —	PPT (in last 24 hrs): —
---------------------	------------------	----------------	------------------	-----------	----------------------------

TOPOGRAPHIC FEATURE		HISTORY
☐ LACUSTRINE	☐ TALUS	☒ NATURAL
☐ RIVERINE	☐ CREVICE / CAVE	
☐ BOTTOMLAND	☐ ALVAR	☐ CULTURAL
☐ TERRACE	☐ ROCKLAND	
☐ VALLEY SLOPE	☐ BEACH / BAR	
☒ TABLELAND	☐ SAND DUNE	
☐ ROLL. UPLAND	☐ BLUFF	
☐ CLIFF		

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	2	3	ACESASA = FAGGRAN = FRAMER
2	SUB-CANOPY	3	4	Deciduous trees/shrubs
3	UNDERSTOREY	4-5	4	Deciduous trees/shrubs
4	GRD. LAYER	6-7	3	acases

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:		<10		10 - 24		25 - 50		>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	YOUNG	☒ MID-AGE	MATURE	OLD GROWTH
-----------------	---------	-------	---	--------	------------

VEGETATION TYPE: <i>Deciduous Forest</i>		CODE: <i>FOD</i>
	COMPLEX	CODE:

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature:

(Project Manager)

ELC Polygon: #11-8 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]

Contains potential bat hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED			
UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED							
UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED						
UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature	

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED						
UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Ltd. Coll. Tile 11', Roadside ELC,
ve Poly 11-9 Woodland & Wildlife Habitat
Assessment Form

Project Name: NRWC ELC
Field Personnel: A. Ducharme

POLYGON DESCRIPTION

POLYGON:	11-9	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☐ TABLELAND ☐ ROLL. UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☒ NATURAL ☒ CULTURAL
START TIME:	12:45			
END TIME:	13:00			

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	—	—	—
2	SUB-CANOPY	3-4	2	PIC GLAN > FRAMER
3	UNDERSTOREY	—	—	—
4	GRD. LAYER	0-5	4	GRASS sp.

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	N	<10	N	10 - 24	N	25 - 50	N	>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	☒ PIONEER	☐ YOUNG	☐ MID-AGE	☐ MATURE	☐ OLD GROWTH
-----------------	---	--------------------------------	----------------------------------	---------------------------------	-------------------------------------

VEGETATION TYPE: Dry-moist old Field Cultural Meadow Hedgerow		CODE: HOD / CUM1-1
COMPLEX		CODE:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

A. J. R.
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature: 
(Project Manager)

ELC Polygon: # 11-9 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

--

CA=carcass; DI=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization

Extent of Physical Investigation of Feature: ☐-Entire / ☐-Partial, walk through polygon (*indicate on map*)

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED			
UTM	Feature Description	Photo No.	Spp. Observed Using Feature

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED							
UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

STICK NEST(S) IDENTIFIED					
UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED						
UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?



REV: 2012-01-03

Stantec Consulting Ltd. Coll. Tile 11, Roadside ELC,
1 - 70 Southgate Drive
Guelph, ON
Canada N1G 4P5
Tel: (519) 836-6050
Fax: (519) 836-2493

Stantec

Project Number: 160950269 Project Name: NRUC ELC
Date: 27 June 2012 Field Personnel: A. Ducharme

Weather Conditions: TEMP (°C): 23 WIND: light CLOUD: part PPT: — PPT (in last 24 hrs): —

POLYGON DESCRIPTION

ELC	POLYGON:	TOPOGRAPHIC FEATURE	HISTORY
COMMUNITY DESCRIPTION & CLASSIFICATION	11-11	☐ LACUSTRINE ☐ TALUS	☒ NATURAL
	START TIME: 13:15	☐ RIVERINE ☐ CREVICE / CAVE	☐ CULTURAL
	END TIME: 13:30	☐ BOTTOMLAND ☐ ALVAR	
		☐ TERRACE ☐ ROCKLAND	
		☐ VALLEY SLOPE ☐ BEACH / BAR	
		☐ TABLELAND ☐ SAND DUNE	
		☐ ROLL UPLAND ☐ BLUFF	
		☐ CLIFF	

STAND DESCRIPTION:

LAYER	HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1 CANOPY	12	3	FRAAMER > other FOD trees
2 SUB-CANOPY	3-4	3	FRAAMER > other FOD trees
3 UNDERSTOREY	5-6	3	FOD shrubs
4 GRD. LAYER	7-8	4	GRASS sp.

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS: ☐ 0 <10 ☐ R 10-24 ☐ N 25-50 ☐ N >50

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY: ☐ PIONEER ☐ YOUNG ☐ MID-AGE ☒ MATURE ☐ OLD GROWTH

VEGETATION TYPE: Deciduous Forest CODE: FOD

COMPLEX CODE:

Evidence of Disturbance / Notes:

Difficult to see.

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

SPECIES CODE	LAYER				DISTANCE FROM RD.		COLL.
	1	2	3	4	≤5 m	>5 m	
TREES:							
FRAAMER	D	D	N/O	N/O	D	N/O	
TILAMER	O	O	N/O	N/O	O		
ACESASA	A	A	N/O	N/O	A		
other FOD trees	A	A	N/O	N/O	A		
SHRUBS:							
RHUT/PH	N	A	N/O	N/O	A	N/O	
other FOD shrubs							
GROUND:							
GRASS sp.	—	—	A	A	A	N/O	

Signature: A. R.
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒
Signature: A. R.
(Project Manager)

ELC Polygon: # 11-1 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Ltd. Coll. Tile 11; Roadside ELC,
ive Poly 11-12 Woodland & Wildlife Habitat
Assessment Form

Date: 27 June 2012 Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 23	WIND: light	CLOUD: part	PPT: —	PPT (in last 24 hrs) —
---------------------	------------------	----------------	----------------	-----------	---------------------------

TOPOGRAPHIC FEATURE		HISTORY
☐ LACUSTRINE	☐ TALUS	☐ NATURAL
☐ RIVERINE	☐ CREVICE / CAVE	☐ CULTURAL
☐ BOTTOMLAND	☐ ALVAR	
☐ TERRACE	☐ ROCKLAND	
☐ VALLEY SLOPE	☐ BEACH / BAR	
☐ TABLELAND	☐ SAND DUNE	
☐ ROLL. UPLAND	☐ BLUFF	
☐ CLIFF		

ELC

COMMUNITY DESCRIPTION & CLASSIFICATION

STAND DESCRIPTION:

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	—	—	
2	SUB-CANOPY	3	3	FRAXINUS > ACER > FAG GORDN
3	UNDERSTOREY	4-5	3	FOD shrubs
4	GRD. LAYER	6-7	4	SOL CANA > grasses

HT CODES: 1= $\geq 25m$ 2= $10 < HT \leq 25m$ 3= $2 < HT \leq 10m$ 4= $1 < HT \leq 2m$ 5= $0.5 < HT \leq 1m$ 6= $0.2 < HT \leq 0.5m$ 7= $HT < 0.2m$

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	R	<10	N	10 - 24	N	25 - 50	N	>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES: N=NONE ~~R=RARE~~ O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	YOUNG	MID-AGE	MATURE	OLD GROWTH
-----------------	---------	-------	---------	--------	------------

VEGETATION TYPE: Deciduous Forest CODE: 1101/500

	COMPLEX		CODE:
--	---------	--	-------

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

(Field Personnel)

Quality Control: This form is complete ☒ & legible ☐.

Signature:

(Project Manager)

ELC Polygon: #11-12 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

(Left side of observation area)	(Right side of observation area)
---------------------------------	----------------------------------

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=seal; SI=other sign; TK=track; VO=vocalization



Coll. Tile 11; Roadside ELC,
11-13 Woodland & Wildlife Habitat
Assessment Form

Weather Conditions:	TEMP: 23	WIND: light	CLOUD: part	FFI: —	FFI (in last 24 hrs): —
---------------------	----------	-------------	-------------	--------	-------------------------

ELC

POLYGON:	11-13	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☒ TABLELAND ☐ ROLL. UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☒ NATURAL ☐ CULTURAL
START TIME:	13:45			
END TIME:	14:00			

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	—	—	
2	SUB-CANOPY	3	1	FRANKLIN 7 FAGGIAN
3	UNDERSTOREY	4-5	4	SOL CANA 7 DIPFILL
4	GRD. LAYER	6-7	4	SOL CANA 7 DIPFILL

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	0	<10	N	10-24	N	25-50	N	>50
-----------------	---	-----	---	-------	---	-------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	☒ YOUNG	☐ MID-AGE	☐ MATURE	☐ OLD GROWTH
-----------------	---------	---	----------------------------------	---------------------------------	-------------------------------------

VEGETATION TYPE: Dry-Moist old field Meadow-Marsh		CODE: MAM/CUM1-1
COMPLEX		CODE:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Air

(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature

re: 

(Project Manager)

ELC Polygon: # 11-B Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]

Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED			
UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED							
UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED					
UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED						
UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=seat; SI=other sign; TK=track; VO=vocalization



Coll. Tile 11; Roadside ELC,
by 11-14 Woodland & Wildlife Habitat
Assessment Form

Date: 27 June 2012 Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 23	WIND: light	CLOUD: cloudy	PPT: —	PPT (in last 24 hrs): —
---------------------	------------------	----------------	------------------	-----------	----------------------------

TOPOGRAPHIC FEATURE		HISTORY
☐ LACUSTRINE	☐ TALUS	☐ NATURAL
☐ RIVERINE	☐ CREVICE / CAVE	☒ CULTURAL
☐ BOTTOMLAND	☐ ALVAR	
☐ TERRACE	☐ ROCKLAND	
☐ VALLEY SLOPE	☐ BEACH / BAR	
☒ TABLELAND	☐ SAND DUNE	
☐ ROLL UPLAND	☐ BLUFF	
☐ CLIFF		

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	—	—	—
2	SUB-CANOPY	—	—	—
3	UNDERSTOREY	4-5	2	TIPLATI
4	GRD. LAYER	7	4	grass

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	2	<10	2	10 - 24	2	25 - 50	2	>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	☒ PIONEER	☐ YOUNG	☐ MID-AGE	☐ MATURE	☐ OLD GROWTH
-----------------	---	--------------------------------	----------------------------------	---------------------------------	-------------------------------------

VEGETATION TYPE:		Cattail Mineral Shallow Marsh	CODE:	MAS 2-1
COMPLEX		(Cultural)	CODE:	

Evidence of Disturbance / Notes:

Private pond on property

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

Air

(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature:

: 11

(Project-Manager)

Extent of Physical Investigation of Feature: ☐-Entire / ☐-Partial, walk through polygon (*indicate on map*)

Reptile / Bat Hibernacula Features:	Contains potential reptile hibernacula features?
	☐ -Y* / ☐ -N / ☐ -Unknown, no access (<i>*if yes, describe in table below</i>) [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
	Contains potential bat hibernacula features?
	☐ -Y* / ☐ -N / ☐ -Unknown, no access (<i>*if yes, describe in table below</i>) [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED			
UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features:	Contains potential bat roosting features? ☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below) [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]
-------------------------------	---

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED							
UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED					
UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☐-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED						
UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=seal; SI=other sign; TK=track; VO=vocalization



Stantec Consulting Ltd.
1 - 70 Southgate Drive
Guelph, ON
Canada N1G 4P5
Tel: (519) 836-6050
Fax: (519) 836-2493

Stantec

Project Number: 160950269 Project Name: NRWC ELC
Date: 27 June 2012 Field Personnel: A. Ducharme

Weather Conditions: TEMP (°C): 23 WIND: light CLOUD: cloudy PPT: light rain PPT (in last 24 hrs): <1 mm

POLYGON DESCRIPTION

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON: <u>11-15</u>	TOPOGRAPHIC FEATURE		HISTORY
		START TIME: <u>13:50</u>	END TIME: <u>14:00</u>	
		☐ LACUSTRINE	☐ TALUS	☒ NATURAL
		☐ RIVERINE	☐ CREVICE / CAVE	☐ CULTURAL
		☐ BOTTOMLAND	☐ ALVAR	
		☐ TERRACE	☐ ROCKLAND	
		☐ VALLEY SLOPE	☐ BEACH / BAR	
		☒ TABLELAND	☐ SAND DUNE	
		☐ ROLL UPLAND	☐ BLUFF	
		☐ CLIFF		

STAND DESCRIPTION:

LAYER	HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1 CANOPY	2	2	FAGGRAN > JUGNIGR = ACESASA
2 SUB-CANOPY	3-4	3	LONTART > JUGNIGR > FAGGRAN
3 UNDERSTOREY	5-6	4	GRASS sp. > VITVINI > SOLCANA > DIPFULL
4 GRD. LAYER	7-8	4	GRASS sp. > SOLCANA > DIPFULL

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤50% 4=CVR>60% N/O=not observed

STANDING SNAGS: ☒ <10 ☒ 10-24 ☒ 25-50 ☒ >50

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY: ☒ PIONEER ☐ YOUNG ☒ MID-AGE ☐ MATURE ☐ OLD GROWTH

VEGETATION TYPE: Mineral Cultural Thicket / Decid. Hedgerow CODE: HOD/CUT1
COMPLEX CODE:

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

SPECIES CODE	LAYER				DISTANCE FROM RD.		COLL.
	1	2	3	4	≤5 m	>5 m	
TREES:							
JUGNIGR	O	A	R	N	O	N/A	
ACESASA	O	O	R	N	O		
FAGGRAN	A	O	R	N	A		
FRAMER	O	O	R	N	O		
TILAMER	R	R	R	N	R		
QUEMACR	O	O	R	N	O		
CAROVAT	R	O	R	N	R		
SHRUBS:							
LONTART	N	D	O	N	A	N/A	
RHUTYPH	N	O	O	N	O		
CORRACE	N	O	O	N	O		
GROUND:							
VITVINI	-	-	A	O	A	N/A	
GRASS sp.	-	-	D	D	D		
DIPFULL	-	-	O	O	O		
SOLCANA	-	-	O	A	O		

Signature: A. Ducharme

(Field Personnel)

Quality Control: This form is complete & legible ☒

Signature: [Signature]

(Project Manager)

ELC Polygon: # 11-15 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

(Left side of observation area)	(Right side of observation area)
---------------------------------	----------------------------------

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization

Markups

NRWC roadside ELC

Figures 7-12

12-AD

(no ELC cards for this map.



Stantec Consulting Ltd.
1 - 70 Southgate Drive
Guelph, ON
Canada N1G 4P5
Tel: (519) 836-6050
Fax: (519) 836-2493

Coll. Title 12; Roadside ELC,
Poly 1 Woodland & Wildlife Habitat
(A & B) Assessment Form

Project Number: 160950269

Project Name: NRWC

Date: Aug 15

Field Personnel: NC, AD

Weather Conditions:

TEMP (°C)
25

WIND:
3-4

CLOUD:
40

PPT:

PPT (in last 24 hrs):

POLYGON DESCRIPTION

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON:	TOPOGRAPHIC FEATURE		HISTORY
	12-1	☐ LACUSTRINE	☐ TALUS	☐ NATURAL
	START TIME:	☐ RIVERINE	☐ CREVICE / CAVE	☐ CULTURAL
	END TIME:	☐ BOTTOMLAND	☐ ALVAR	
		☐ TERRACE	☐ ROCKLAND	
		☐ VALLEY SLOPE	☐ BEACH / BAR	
		☐ TABLELAND	☐ SAND DUNE	
☒ ROLL UPLAND		☐ BLUFF		
	☐ CLIFF			

***AND DESCRIPTION:**

LAYER	HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
CANOPY			
SUB-CANOPY			
UNDERSTOREY			
GRD. LAYER	5-7	4	FORBS >> GRASS

CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

R CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

ANDING SNAGS: *N/Y* ☐ *<10* ☐ *10-24* ☐ *25-50* ☐ *>50*

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

AND MATURITY:	PIONEER	YOUNG	MID-AGE	MATURE	OLD GROWTH
---------------	---------	-------	---------	--------	------------

GETATION TYPE: _____ CODE: _____

CODE: FAL/CUM

COMPLEX	CODE:
---------	-------

idence of Disturbances (M...

Forb fallow field / cum (IA)

1B: Grass > Forbs

- no marsh visible but there is a slight depression with PHARUD

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

(Field Personnel)

Quality Control: This form is complete ☒ & legible ☐

Signature

(Project Manager)

ELC Polygon: # 12-1 Assessment Type: ☒-Visual; no access / ☐-Walk through featureExtent of Physical Investigation of Feature: ☐-Entire / ☐-Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☐-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]

Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☐-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☐-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

--	--



Coll. Tile 13; Roadside ELC,
Poly 13-1 Woodland & Wildlife Habitat
Assessment Form

Project Name: NRWC ELC

Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 25	WIND: light	CLOUD: cloudy	PPT: light	PPT (in last 24 hrs): 1-3 mm
---------------------	------------------	----------------	------------------	---------------	---------------------------------

ELC

COMMUNITY DESCRIPTION & CLASSIFICATION

END TIME: 5:36

☐ LACUSTRINE	☐ TALUS
☐ RIVERINE	☐ CREVICE / CAVE
☐ BOTTOMLAND	☐ ALVAR
☐ TERRACE	☐ ROCKLAND
☐ VALLEY SLOPE	☐ BEACH / BAR
☒ TABLELAND	☐ SAND DUNE
☐ ROLL. UPLAND	☐ BLUFF
☐ CLIFF	

☒ NATURAL
☐ CULTURAL

LAYER

HT

CVR

SPECIES IN ORDER OF DECREASING DOMINANCE
(CH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)

1	CANOPY	—	—	(— LESSER THAN, — GREATER THAN, — ABOUT EQUAL TO)
2	SUB-CANOPY	—	—	
3	UNDERSTOREY	11-5	4	GRASS p. 7 BARNULG > SOLICANA
4	GRD. LAYER	6-4	3	GRASS p. 7 SOLICANA > other

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	R	<10	R	10-24	N	25-50	N	>50
-----------------	---	-----	---	-------	---	-------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	YOUNG	☒ MID-AGE	MATURE	OLD GROWTH
-----------------	---------	-------	---	--------	------------

VEGETATION TYPE: Scrub Mallee 1 Mallee CODE: MAS28

COMPLEX		CODE:
---------	--	-------

Evidence of Disturbance / Notes:

- 40% present in wet soil under bird

neg. present in wetland soils and
in plants and animals

- many birds present.

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature:

(Project Manager)

ELC Polygon: # 13-1 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)**Reptile / Bat Hibernacula Features:**

Contains potential reptile hibernacula features?

☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

[i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]

Contains potential bat hibernacula features?

☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

[i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features:

Contains potential bat roosting features?

☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

[i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests:

Contains large stick nests?

☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)**STICK NEST(S) IDENTIFIED**

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools:

Contains seeps/springs/vernal pools?

☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)**SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED**

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

- large concrete culvert for creek to pass under road -
 - frogs present
 - creek not flowing during site visit - seasonal
 - tall dead trees also in vicinity, - no hollows seen though



Ltd. **Coll. Tile 13;** Roadside ELC,
ve **Poly 13-2** Woodland & Wildlife Habitat
Assessment Form

Project Number:	160956269		Project Name:	NRWC ELCC	
Date:	27 June 2012		Field Personnel:	A. Ducharme	
Weather Conditions:	TEMP (°C): 25	WIND: light	CLOUD: cloudy	PPT: light	PPT (in last 24 hrs): 1-3 mm

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	TOPOGRAPHIC FEATURE		HISTORY	
	POLYGON: 13-2	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☒ TABLELAND ☐ ROLL. UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☐ NATURAL ☒ CULTURAL
	START TIME: 15:30			
	END TIME: 16:00			

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	2	1	FOY trees
2	SUB-CANOPY	3	1	CORRACE
3	UNDERSTOREY	4.5	4	GRASS > ASPEN
4	GRD. LAYER	6.4	4	GRASS > SCL CANA

STANDING SNAGS:	0	<10	10-24	25-50	>50
-----------------	---	-----	-------	-------	-----

ABUNDANCE CODES:		N=NONE	R=RARE	O=OCCASIONAL	A=ABUNDANT	N/O=Not observed
STAND MATURITY:	PIONEER	YOUNG	✓ MID-AGE	MATURE	OLD GROWTH	

VEGETATION TYPE: Dry-Moist Old Field Meadow		CODE: CUM1-1
COMPLEX		CODE:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Ariz
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature: _____
_____ (Project Manager)

ELC Polygon: # 13-2 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]

Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

Some dead tall trees, 1 tree w DBH > 30cm
 - no cavities visible, difficult to see though.



Coll. Tile B;
Poly B-3

Project Number: 160950269 Project Name: NRWC ELC
Date: 27 June 2012 Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 24	WIND: light	CLOUD: cloudy	PPT: light	PPT (in last 24 hrs): 1-3 mm
---------------------	------------------	----------------	------------------	---------------	---------------------------------

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON: 13-3	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☐ TABLELAND ☐ ROLL. UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	HISTORY ☐ NATURAL ☒ CULTURAL
	START TIME: 16:00			
	END TIME: 16:15			

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	23	3	FAGGRAN = ACESASA > FRAAMER = SWGNIGR
2	SUB-CANOPY	4	3	FAGGRAN = ACESASA > CORRACE
3	UNDERSTOREY	5-6	4	SOLCANA > PTHAARUN > DIPFULL
4	GRD. LAYER	7-8	4	SOLCANA > DIPFULL > PTHAARUN

HT CODES: 1=≥25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m
CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10%<CVR≤25% 3=25%<CVR≤50% 4=CVR>50% N/A-not checked

STANDING SNAGS:	2	<10	1	10-24	1	25-50	2	>50
-----------------	---	-----	---	-------	---	-------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY: PIONEER YOUNG MID-AGE MATURE OLD GROWTH

VEGETATION TYPE:		CODE:
Decid. Mineral Cultural Savannah Hedgerow		40D / CUS / ?
COMPLEX		CODE:

Evidence of Disturbance / Notes:

[illegible]

Signature: A. J. R.
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☐

Signature: [Signature]
(Project Manager)

ELC Polygon: # 13-3 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

Empty space for species and habitat observations
--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=seat; SI=other sign; TK=track; VO=vocalization



Ltd. Coll. Tile 13; Roadside ELC,
ve Poly 13-4 Woodland & Wildlife Habitat
Assessment Form

Stantec

Project Number: 160950269 Project Name: NEWS FLC

Date: 27 June 2012 Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 24	WIND: light	CLOUD: cloudy	PPT: —	PPT (in last 24 hrs): 1-3 mm
---------------------	------------------	----------------	------------------	-----------	---------------------------------

POLYGON DESCRIPTION

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON: 13-4		TOPOGRAPHIC FEATURE		HISTORY
	START TIME: 16:15	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☒ TABLELAND ☐ ROLL. UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☒ NATURAL ☐ CULTURAL	
	END TIME: 16:30				

STAND DESCRIPTION:

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	2	4	Mixed deciduous > PINUS > THU OCC.
2	SUB-CANOPY	2-4	4	11
3	UNDERSTOREY	5-6	2	Grasses
4	GRD. LAYER	7-8	4	Grasses

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	☒ A	<10	☒ B	10 - 24	☒ C	25 - 50	☒ D	>50
-----------------	---------------------------------------	-----	---------------------------------------	---------	---------------------------------------	---------	---------------------------------------	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY: PIONEER YOUNG ☒ MID-AGE MATURE OLD GROWTH

VEGETATION TYPE: <i>Mixed Forest Kedahran</i>		CODE: <i>HOM / FOM</i>
☐	COMPLEX	CODE:

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

A. R.
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature:

(Project Manager)

ELC Polygon: # 13-4 Assessment Type: ☒-Visual; no access / ☐-Walk through featureExtent of Physical Investigation of Feature: ☐-Entire / ☐-Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

--	--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Stantec Consulting Ltd
1 - 70 Southgate Drive
Guelph, ON
Canada N1G 4P5
Tel: (519) 836-6050
Fax: (519) 836-2493

id. Coll. Tile 13; Roadside ELC,
Poly 13-5 Woodland & Wildlife Habitat
Assessment Form

Project Number: 160950269

Project Name: NIRWC FLC

Date: 27 June 2017

Field Personnel: A. Duchene

Weather Conditions:	TEMP (°C): 24	WIND: light	CLOUD: part	PPT: —	PPT (in last 24 hrs): 1-3 mm
---------------------	------------------	----------------	----------------	-----------	---------------------------------

POLYGON DESCRIPTION

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON:	TOPOGRAPHIC FEATURE		HISTORY
	START TIME:	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☐ TABLELAND ☐ ROLL. UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☒ NATURAL ☐ CULTURAL
	END TIME:			

STAND DESCRIPTION:

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	2	4	CAROVAT > QUENICK > POPALBA
2	SUB-CANOPY	-	-	QUENICK > POPALBA > CAROVAT
3	UNDERSTOREY	-	-	
4	GRD. LAYER	6	4	

HT CODES: 1= $\geq 25\text{m}$ 2= $10 < \text{HT} \leq 25\text{m}$ 3= $2 < \text{HT} \leq 10\text{m}$ 4= $1 < \text{HT} \leq 2\text{m}$ 5= $0.5 < \text{HT} \leq 1\text{m}$ 6= $0.2 < \text{HT} \leq 0.5\text{m}$ 7= $\text{HT} < 0.2\text{m}$

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	6	<10		10 - 24	25 - 50	>50
-----------------	---	-----	---	---------	---------	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	YOUNG	MID-AGE	☒ MATURE	☒ OLD GROWTH
-----------------	---------	-------	---------	--	--

VEGETATION TYPE: <i>Deciduous Forest</i>		CODE: <i>FOD</i>
COMPLEX		CODE:

Evidence of Disturbance / Notes:

- oak trees ~ 50 cm DBH
- adjacent to river
- adjacent to res. property
 - ↳ white poplar likely planted.

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

A. R.
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature:

(Project Manager)

ELC Polygon: # 13-5 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Coll. Title 13, Roadside ELC,
July 13-6 Woodland & Wildlife Habitat
Assessment Form

Project Number: 160950269 Project Name: NRWC ELL
Date: 27 June 2012 Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C):	WIND:	CLOUD:	PPT:	PPT (in last 24 hrs):
	<u>24</u>	<u>light</u>	<u>part</u>	<u>—</u>	<u>1-3mm</u>

POLYGON DESCRIPTION

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON:	13-6	TOPOGRAPHIC FEATURE		HISTORY
	START TIME:	17:00	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☒ TABLELAND ☐ ROLL. UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☒ NATURAL ☐ CULTURAL
	END TIME:	17:15			

STAND DESCRIPTION:

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	7	4	SALALBA v. Vitellina > ACESASA > PICMARI
2	SUB-CANOPY	2	4	CORRACE > ACESASA > SALALBA v. Vitellina
3	UNDERSTOREY	1.5	2	GRASS sp.
4	GRD. LAYER	0.4	2	GRASS sp.

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m
CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	G	<10	R	10 - 24	N	25 - 50	N	>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES:		N=NONE	R=RARE	O=OCCASIONAL	A=ABUNDANT	N/O=Not observed
STAND MATURITY:	PIONEER	YOUNG	MID-AGE	✓MATURE	OLD GROWTH	

VEGETATION TYPE: Mixed Forest		CODE: FOM
COMPLEX		CODE:

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature: *A. J. [Signature]*
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature: 
(Project Manager)

ELC Polygon: # 13-6 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Stantec Consulting Ltd.
1 - 70 Southgate Drive
Guelph, ON
Canada N1G 4P5
Tel: (519) 836-6050
Fax: (519) 836-2493

Coll. Title 13:
Poly 13-7

Project Number: 60950269 Project Name: NEW C ELC

Date: 21 June 2012 Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 24	WIND: light	CLOUD: part	PPT: —	PPT (in last 24 hrs): 1-3 mm
---------------------	------------------	----------------	----------------	-----------	---------------------------------

POLYGON DESCRIPTION

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON: 13-7	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☐ TABLELAND ☐ ROLL. UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	HISTORY ☒ NATURAL ☒ CULTURAL
	START TIME: 17:10			
	END TIME: 17:20			

STAND DESCRIPTION:

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	2	3	<i>Fraxinus</i>
2	SUB-CANOPY	3-4	2	<i>Quercus</i>
3	UNDERSTOREY	2-3	1	<i>Grass</i>
4	GRD. LAYER	1-2	1	<i>Grass</i>

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	0	<10	10 - 24	N	25 - 50	N	>50
-----------------	---	-----	---------	---	---------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	YOUNG	MID-AGE	☒ MATURE	OLD GROWTH
-----------------	---------	-------	---------	--	------------

VEGETATION TYPE: Deciduous Forest Hedgerow		CODE: HOD / FOD
COMPLEX		CODE:

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

Signature: Air
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature:

Signature:  _____
(Project Manager)

ELC Polygon: # 13-7 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=seat; SI=other sign; TK=track; VO=vocalization REV: 2012-01-03
--



Coll. Tile 13;
13-8 Wood

**18 / Roadside ELC,
Woodland & Wildlife Habitat
Assessment Form**

Project Number: 160950269
Date: 27 June 2012

Project Name: NRWC ELC
Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 24	WIND: light	CLOUD: part	PPT: —	PPT (in last 24 hrs): 1—mm
---------------------	------------------	----------------	----------------	-----------	-------------------------------

POLYGON DESCRIPTION

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	TOPOGRAPHIC FEATURE		HISTORY	
	POLYGON: 13-8	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☒ TABLELAND ☐ ROLL. UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☒ NATURAL ☐ CULTURAL
	START TIME: 17:20			
	END TIME: 17:30			

STAND DESCRIPTION:

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	2	4	Oak = MACK > FAGGRAN > AC = SASA
2	SUB-CANOPY	3.4	3	mixed deciduous
3	UNDERSTOREY	3.6	2	grasses
4	GRD. LAYER	4.7	4	grasses

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	R	<10	R	10-24	N	25-50	N	>50
-----------------	---	-----	---	-------	---	-------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	YOUNG	MID-AGE	✓ MATURE	OLD GROWTH
-----------------	---------	-------	---------	----------	------------

VEGETATION TYPE: Deciduous Forest Hedgerow CODE: HOD / FOD

COMPLEX	CODE:
---------	-------

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

Air

(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature:

(Project Manager)

ELC Polygon: #13-8 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

Empty space for species and habitat observations
--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization

ELC Polygon: # 13-9 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

Empty space for species and habitat observations
--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Stantec Consulting Ltd.
1 - 70 Southgate Drive
Guelph, ON
Canada N1G 4P5
Tel: (519) 836-6050
Fax: (519) 836-2493

Call. Tlx 13;
Poly 13-10

Project Number: 609 50269

Project Name: NRWC ELC

Date: 27 June 2012

Field Personnel: A. Ducharme

Weather Conditions:

TEMP (°C): _____

WIND:

CLOUD®

PPT.

PPT (in last 24 hrs):

POLYGON DESCRIPTION

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON:	TOPOGRAPHIC FEATURE		HISTORY
	START TIME:	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☐ TABLELAND ☐ ROLL. UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☒ NATURAL ☐ CULTURAL

STAND DESCRIPTION:

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	2	3	weeping willow >>> FAGGIAN
2	SUB-CANOPY			
3	UNDERSTOREY			
4	GRD. LAYER			no access.

IT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	R	<10	R	10 - 24	N	25 - 50	N	>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	YOUNG	MID-AGE	☒ MATURE	OLD GROWTH
-----------------	---------	-------	---------	--	------------

VEGETATION TYPE: Mineral Culture / bar / and CODE: C1111?

COMPLEX	CODE:
---------	-------

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒

Signature

(Project Manager)

ELC Polygon: #13-10 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

Empty space for species and habitat observations
--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Ltd. Coll. Title 13; Roadside ELC,
ve Poly 13-11 Woodland & Wildlife Habitat
Assessment Form

Project Number:	160950269		Project Name:	NEWC ELC	
Date:	27 June 2012		Field Personnel:	A. Ducharme	
Weather Conditions:	TEMP (°C): 25	WIND: light	CLOUD: part	PPT: —	PPT (in last 24 hrs): 1-3 mm

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON: 13-11	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☒ TABLELAND ☐ ROLL UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	HISTORY ☒ NATURAL ☐ CULTURAL
	START TIME: 17:40			
	END TIME: 17:50			

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	-	-	
2	SUB-CANOPY	-	-	
3	UNDERSTOREY	3-4	4	TYPLATI >>> 7 grasses
4	GRD. LAYER	5-7	3	TYPLATI > 7 grasses > 7 lili. pad 5

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m
CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤50% 4=CVR>50% N/C=not checked

STANDING SNAGS:		<10		10 - 24		25 - 50		>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES:		N=NONE	R=RARE	O=OCCASIONAL	A=ABUNDANT	N/O=Not observed
STAND MATURITY:	☐ PIONEER	☐ YOUNG	☐ MID-AGE	☒ MATURE	☐ OLD GROWTH	

VEGETATION TYPE: Cattail Mineral Shallow Marsh		CODE: MAS 2-1
COMPLEX		CODE:

birds abundant
- large concrete box culvert under road

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature: AR
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature: 
(Project Manager)

ELC Polygon: # 3-1 | Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=seat; SI=other sign; TK=track; VO=vocalization



Stantec Consulting Ltd.
1 - 70 Southgate Drive
Guelph, ON
Canada N1G 4P5
Tel: (519) 836-6050
Fax: (519) 836-2493

Stantec

Project Number: 160950269 Project Name: NRWC ELC
Date: 27 June 2012 Field Personnel: A. Ducharme
Weather Conditions: TEMP (°C): 25 WIND: light CLOUD: part PPT: — PPT (in last 24 hrs): 1-3 mm

**Coll. Tile 13; Roadside ELC,
Poly 13-12 Woodland & Wildlife Habitat
Assessment Form**

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON: <u>13-12</u>	☐ LACUSTRINE ☐ TALUS ☐ NATURAL
	START TIME: <u>17:50</u>	☐ RIVERINE ☐ CREVICE / CAVE ☐ CULTURAL
	END TIME: <u>18:00</u>	☐ BOTTOMLAND ☐ ALVAR ☐ TERRACE ☐ ROCKLAND ☐ VALLEY SLOPE ☐ BEACH / BAR ☐ TABLELAND ☐ SAND DUNE ☐ ROLL UPLAND ☐ BLUFF ☐ CLIFF

STAND DESCRIPTION:

LAYER	HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1 CANOPY	<u>2</u>	<u>4</u>	<u>CARONAT > FAGGRAN > TILAMER = QUIMACR</u>
2 SUB-CANOPY	<u>3-4</u>	<u>3</u>	<u>CARONAT > QUIMACR > TILAMER</u>
3 UNDERSTOREY	<u>5-6</u>	<u>3</u>	<u>CORRACE</u>
4 GRD. LAYER	<u>7-8</u>	<u>4</u>	<u>GRASS sp.</u>

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m
CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS: ☐ <10 ☐ 10-24 ☒ 25-50 ☐ >50

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY: ☐ PIONEER ☐ YOUNG ☐ MID-AGE ☒ MATURE ☐ OLD GROWTH

VEGETATION TYPE: Deciduous Forest CODE: FOD
COMPLEX CODE:

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

SPECIES CODE	LAYER				DISTANCE FROM RD.		COLL.
	1	2	3	4	≤5 m	>5 m	
TREES:							
CARONAT	A	A	—	—	A	N/O	
QUIMACR	A	A	—	—	A		
FAGGRAN	A	A	—	—	A		
FRAAMER	A	O	—	—	A		
TILAMER	A	A	—	—	A		
QUIMACR	A	A	—	—	A		
ACESASA	O	O	—	—	O		
SHRUBS:							
CORRACE	—	—	O	—	O	N/O	
GROUND:							
GRASS sp.	—	—	O	A	A	N/O	
VITVINI	—	—	O	O	O		

Signature: A. Ducharme

(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒

Signature: [Signature]

(Project Manager)

ELC Polygon: # 3-12 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]

Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED


UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=seat; SI=other sign; TK=track; VO=vocalization


V:\01609\Active\160950269\Planning\drawing\map\20120423_NHA_Fieldmaps\160950269_Release_17_ELC_Collector_Map_Book_20120613.mxd
Revised: 2012-06-14 By: bcwper



Legend

- Proposed T Line Route
- Proposed Collector 120m Buffer
- Turbines in Signed Lands
 - Standard Turbine (105 dBA)
 - Potential Turbine Locations
- Turbines in Unsigned Lands
 - Standard Turbine (105 dBA)
 - 51 m Turbine Setback
- Proposed Collector Cable
- Alternate Collector Cable Route
- Preliminary Study Area
- Signed Property
- Signed Property - Outside Study Area
- Potential Signed Property
- Potential Signed Property - Outside Study Area
- ELC Boundary
- Provincially Significant Wetland
- Other/Locally Significant Wetland
- Property Boundary

-elc complete



Notes

- Coordinate System: NAD 1983 UTM Zone 17N.
- Base features produced under license with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2012.



Stantec

June, 2012
160950269

Client/Project
Niagara Region Wind Corporation
Amphibian Field Maps

Figure No.
13

Title
Proposed Collector Route
Map 13

13-AD



Call. Title 13, Roadside ELC,
Poly 1 Woodland & Wildlife Habitat
Assessment Form

Project Name: NRWC

Field Personnel: NC, AD

POLYGON DESCRIPTION

TOPOGRAPHIC FEATURE

HISTORY

ELC
COMMUNITY DESCRIPTION & CLASSIFICATION

POLYGON:

13-1-

START TIME:

END TIME:

☐ LACUSTRINE
☐ RIVERINE
☒ BOTTOMLAND
☐ TERRACE
☐ VALLEY SLOPE
☐ TABLELAND
☐ ROLL. UPLAND
☐ CLIFF

- ☐ TALUS
- ☐ CREVICE / CAVE
- ☐ ALVAR
- ☐ ROCKLAND
- ☐ BEACH / BAR
- ☐ SAND DUNE
- ☐ BLUFF

☐ NATURAL
☐ CULTURAL

NAME AND DESCRIPTION:

LAYER	HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
CANOPY			
SUB-CANOPY			
UNDERSTOREY			
GRD. LAYER	5-7	4	PLA ARLEN

CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT≤0.2m

'R CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

ANDING SNAGS: *N/A* ☒ *<10* ☐ *10-24* ☐ *25-50* ☐ *>50*

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

AND MATURITY:	PIONEER	YOUNG	MID-AGE	MATURE	OLD GROWTH
---------------	---------	-------	---------	--------	------------

VEGETATION TYPE: *grass, mixed forest* CODE: *11447-2*

COMPLEX		CODE:
---------	--	-------

Evidence of Disturbance / Notes:

- gray dogwood, willow,
and oak trees near bridge
along Smithville Rd
but over-all community is MAINT

- creek along south side is lined by CAROVAT and moist CAM1-1

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

(Field Personnel)

Quality Control: This form is complete ☐ & legible ☒.

Signature:

(Project Manager)

ELC Polygon: # 13-1 Assessment Type: ☒-Visual; no access / ☐-Walk through featureExtent of Physical Investigation of Feature: ☐-Entire / ☐-Partial, walk through polygon (indicate on map)**Reptile / Bat Hibernacula Features:**

Contains potential reptile hibernacula features?

☐-Y* / ☐-N / ☒-Unknown, no access (*if yes, describe in table below)

[i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]

Contains potential bat hibernacula features?

☐-Y* / ☐-N / ☒-Unknown, no access (*if yes, describe in table below)

[i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features:

Contains potential bat roosting features?

☐-Y* / ☐-N / ☒-Unknown, no access (*if yes, describe in table below)

[i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests:

Contains large stick nests?

☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)**STICK NEST(S) IDENTIFIED**

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools:

Contains seeps/springs/vernal pools?


☐-Y* / ☐-N / ☒-Unknown, no access (*if yes, describe in table below)**SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED**

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)


--	--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=seat; SI=other sign; TK=track; VO=vocalization



Legend

- Turbines in Signed Lands
 - Standard Turbine (105 dBA)
 - 51 m Turbine Setback
 - Non-Participating Receptor
 - Participating Receptor
- Proposed Collector Cable
- Preliminary Study Area
- Signed Property
- Signed Property - Outside Study Area
- Potential Signed Property
- Potential Signed Property - Outside Study Area
- ELC Boundary
- Provincially Significant Wetland
- Other/Locally Significant Wetland
- Property Boundary
- Non-Participating Receptors 550m Setback
- Turbine and Access Road 150m buffer



Notes

- Coordinate System: NAD 1983 UTM Zone 17N).
- Base features produced under license with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2011.



Stantec

August, 2012
160950269

Client/Project

Niagara Region Wind Corporation
ELC Delineation

Figure No.

13

Title

Transmission and Collector Line
Map: 13



Coll. Tile 14, Roadside ELC,
Poly 14-1 Woodland & Wildlife Habitat
Assessment Form

Project Number: 160950269		Project Name: NRWC LLC	
Date: 03 July 2018		Field Personnel: A. D. Dumas	
Weather Conditions:	TEMP (°C): 25	WIND: light	CLOUD: part
			PPT: 0
			PPT (in last 24 hrs): 0

POLYGON DESCRIPTION

ELC COMMUNITY DESCRIPTION & CLASSIFICATION		TOPOGRAPHIC FEATURE		HISTORY
POLYGON:	14-1	☐ LACUSTRINE	☐ TALUS	☐ NATURAL
START TIME:	8:20	☐ RIVERINE	☐ CREVICE / CAVE	☐ CULTURAL
END TIME:	8:45	☐ BOTTOMLAND	☐ ALVAR	
		☐ TERRACE	☐ ROCKLAND	
		☐ VALLEY SLOPE	☐ BEACH / BAR	
		☐ TABLELAND	☐ SAND DUNE	
		☐ ROLL UPLAND	☐ BLUFF	
		☐ CLIFF		

STAND DESCRIPTION:

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	2	2	SNY ^{sp.} > D. BLACK
2	SUB-CANOPY	3	2	S. BLV ^{sp.} > P. BLACK > L. TART
3	UNDERSTOREY	4.5	3	C. L. N. ^{sp.} > G. L. ^{sp.} > D. P. C. L.
4	GRD. LAYER	6-7	4	P. L. C. N. ^{sp.} > G. L. ^{sp.} > S. L. C. N. ^{sp.} > D. P. C. L.

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m
CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:		<10		10 - 24		25 - 50		>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES:		N=NONE	R=RARE	O=OCCASIONAL	A=ABUNDANT	N/O=Not observed
STAND MATURITY:	PIONEER	YOUNG	MID-AGE	MATURE	OLD GROWTH	

VEGETATION TYPE:		CODE:
Dry-Moist Old field Meadow		Cum 1-1
COMPLEX		CODE:

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:


(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature:

re: PC
(Project Manager)

ELC Polygon: # 14- Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐ -Y* / ☐ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐ -Y* / ☐ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐ -Y* / ☐ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐ -Y* / ☐ -N / ☐ -Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐ -Y* / ☐ -N / ☐ -Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Coll. Title 14; Roadside ELC,
Poly 14-2 Woodland & Wildlife Habitat
Assessment Form

Project Name: NRWC ELC

Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 25	WIND: light	CLOUD: part	PPT: 0	PPT (in last 24 hrs): 0
---------------------	------------------	----------------	----------------	----------------------	----------------------------

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON: 14-2	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☒ TABLELAND ☐ ROLL. UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	HISTORY ☐ NATURAL ☒ CULTURAL
	START TIME: 8:45			
	END TIME: 9:00			

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	2-3	1	ACESACC
2	SUB-CANOPY	-	-	-
3	UNDERSTOREY	-	-	-
4	GRD. LAYER	7	4	GRASS

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	N	<10	N	10-24	N	25-50	N	>50
-----------------	---	-----	---	-------	---	-------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	YOUNG	MID-AGE	☒ MATURE	OLD GROWTH
-----------------	---------	-------	---------	--	------------

VEGETATION TYPE: Mineral Cultural Meadow		CODE: CUM1
COMPLEX		CODE:

Church grounds - cut grass
and planted tree
monoculture

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT NO=Not observed

[illegible]

Air
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature: 
(Project Manager)

ELC Polygon: # 14-2 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED


UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)


--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Coll. Tile 14; Roadside ELC,
Poly 14-3 Woodland & Wildlife Habitat
Assessment Form

Project Name: NRWC ELC

Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 25	WIND: light	CLOUD: part	PPT: —	PPT (In last 24 hrs): —
---------------------	------------------	----------------	----------------	-----------	----------------------------

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON: 14-3	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☐ TABLELAND ☐ ROLL. UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☐ NATURAL ☐ CULTURAL
	START TIME: 9:00 END TIME: 9:30			

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	2	1	PAGGRAL - FIBOSTIV
2	SUB-CANOPY	3	1	PAGGRAL - FIBOSTIV
3	UNDERSTOREY	4	4	CALCANAZ GRASS > VIVINT
4	GRD. LAYER	6-7	4	CALCANAZ GRASS > SOLCANAZ

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m
CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	P	<10	R	10 - 24	N	25 - 50	N	>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES:		N=NONE	R=RARE	O=OCCASIONAL	A=ABUNDANT	N/O=Not observed
STAND MATURITY:	PIONEER		YOUNG	✓ MID-AGE	MATURE	OLD GROWTH

VEGETATION TYPE:		CODE:
Dry-Moist Old Field Meadows		Cum 1-1
☐	COMPLEX	CODE:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature: A. M.
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature: 
(Project Manager)

ELC Polygon: # 14-3 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

Empty space for species and habitat observations
--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization

ELC Polygon: # 14-4 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HIO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Coll. Tile 14;
Poly 14-5 Woodl

Roadside ELC, Woodland & Wildlife Habitat Assessment Form

Project Number: 160950269

Project Name: NEW C FLC

Date: 03 July 2012

Field Personnel: A. Ducharme

Weather Conditions:	TEMP (°C): 25	WIND: light	CLOUD: part	PPT: —	PPT (in last 24 hrs): —
---------------------	------------------	----------------	----------------	-----------	----------------------------

POLYGON DESCRIPTION

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	TOPOGRAPHIC FEATURE		HISTORY
	POLYGON: 14-5	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☐ TABLELAND ☐ ROLL. UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF
	START TIME: 9:45		
	END TIME: 10:00		

STAND DESCRIPTION:

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	23	2	ACE-SACC
2	SUB-CANOPY	-	-	-
3	UNDERSTOREY	-	-	-
4	GRD. LAYER	7	4	GRASS

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	N	<10	N	10 - 24	✓	25 - 50	N	>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	YOUNG	MID-AGE	☒ MATURE	OLD GROWTH
-----------------	---------	-------	---------	--	------------

VEGETATION TYPE: Mineral Cultural Woodland		CODE: CUW1
COMPLEX		CODE:

Evidence of Disturbance / Notes:

Cut grass with planted
Sugar maple monoculture.

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

A. R.
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature

(Project Manager)

ELC Polygon: #14-5 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Coll. Title 14; Roadside ELC,
Poly 14-6 Woodland & Wildlife Habitat
Assessment Form

Project Number: <u>160950269</u>		Project Name: <u>NRWC ELC</u>	
Date: <u>03 July 2012</u>		Field Personnel: <u>A. Ducharme</u>	
Weather Conditions:	TEMP (°C): <u>25</u>	WIND: <u>light</u>	CLOUD: <u>part</u>
	PPT: <u>—</u>		PPT (in last 24 hrs): <u>—</u>

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON:	TOPOGRAPHIC FEATURE		HISTORY
	START TIME:	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☐ TABLELAND ☐ ROLL UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☐ NATURAL ☒ CULTURAL

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	22	3	SLGNLGR
2	SUB-CANOPY	-	-	
3	UNDERSTOREY	-	-	
4	GRD. LAYER	7	4	GRSS

4T CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m
3VR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	<u>1</u>	<10	<u>1</u>	10 - 24	<u>1</u>	25 - 50	<u>2</u>	>50
-----------------	----------	-----	----------	---------	----------	---------	----------	-----

ABUNDANCE CODES:		N=NONE		R=RARE		O=OCCASIONAL		A=ABUNDANT		N/O=Not observed	
STAND MATURITY:		PIONEER		YOUNG		✓ MID-AGE		MATURE		OLD GROWTH	

VEGETATION TYPE: Mineral Cultural Woodland		CODE: Cnw1
COMPLEX		CODE:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

A. Z.
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature: _____
(Project Manager)

ELC Polygon: #146 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)**Reptile / Bat Hibernacula Features:**

Contains potential reptile hibernacula features?

☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

[i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]

Contains potential bat hibernacula features?

☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

[i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features:

Contains potential bat roosting features?

☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)

[i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests:

Contains large stick nests?

☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)**STICK NEST(S) IDENTIFIED**

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools:

Contains seeps/springs/vernal pools?

☐ -Y* / ☒ -N / ☐ -Unknown, no access (*if yes, describe in table below)**SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED**

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

---	---


CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization

V:\1609\Active\160950269\Planning\drawing\mxd\20120423_NHA_Fieldmaps\160950269_Release_17_ELC_Collector_Map_Book_20120613.mxd
Revised: 2012-06-14 By: bcowper



Legend

- Proposed T Line Route
- Proposed Collector 120m Buffer
- Turbines in Signed Lands
 - Standard Turbine (105 dBA)
 - Potential Turbine Locations
- Turbines in Unsigned Lands
 - Standard Turbine (105 dBA)
 - 51 m Turbine Setback
- Proposed Collector Cable
- Alternate Collector Cable Route
- Preliminary Study Area
- Signed Property
- Signed Property - Outside Study Area
- Potential Signed Property
- Potential Signed Property - Outside Study Area
- ELC Boundary
- Provincially Significant Wetland
- Other/Locally Significant Wetland
- Property Boundary



Notes

- Coordinate System: NAD 1983 UTM Zone 17N.
- Base features produced under license with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2012.



Stantec

June, 2012
160950269

Client/Project
Niagara Region Wind Corporation
Amphibian Field Maps

Figure No.
14

Title
Proposed Collector Route
Map 14

100 200 m
1:5,000

14-AD

ELC Polygon: # 5-1 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐ -Y* / ☒ -N / ☐ Unknown, no access (**if yes, describe in table below*)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐ -Y* / ☒ -N / ☐ Unknown, no access (**if yes, describe in table below*)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐ -Y* / ☒ -N / ☐ Unknown, no access (**if yes, describe in table below*)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐ -Y* / ☒ -N / ☐ Unknown, no access (**if yes, describe in table below*)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐ -Y* / ☒ -N / ☐ Unknown, no access (**if yes, describe in table below*)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

1
--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Stantec Consulting Ltd.
1 - 70 Southgate Drive
Guelph, ON
Canada N1G 4P5
Tel: (519) 836-6050
Fax: (519) 836-2493

Stantec

Project Number: 160950269

Project Name: NRWC ELC

Date: 03 July 2012

Field Personnel: A. Ducharme

Weather Conditions: TEMP (°C): 25 WIND: light CLOUD: part PPT: — PPT (in last 24 hrs): —

POLYGON DESCRIPTION

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON:	<u>15-2</u>	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☒ TABLELAND ☐ ROLL UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☒ NATURAL ☒ CULTURAL
	START TIME:	<u>12:10</u>			
	END TIME:	<u>12:20</u>			

STAND DESCRIPTION:

LAYER	HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1 CANOPY	<u>2</u>	<u>1</u>	<u>SALALPA > PINSTRO</u>
2 SUB-CANOPY	<u>3</u>	<u>2</u>	<u>PIC = PICOLAUE = LARLARC = PINUS</u>
3 UNDERSTOREY	<u>4</u>	<u>4</u>	<u>GRASS sp. 7 SOLCANA</u>
4 GRD. LAYER	<u>4</u>	<u>4</u>	<u>GRASS sp. 7 SOLCANA</u>

HT CODES: 1=>25m 2=10<HT<25m 3=2<HT<10m 4=1<HT<2m 5=0.5<HT<1m 6=0.2<HT<0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR<10% 2=10%<CVR<25% 3=25%<CVR<60% 4=CVR>60% N/O=not observed

STANDING SNAGS: ☒ N <10 ☒ N 10-24 ☒ N 25-50 ☒ N >50

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY: ☒ PIONEER ☒ YOUNG ☒ MID-AGE ☐ MATURE ☐ OLD GROWTH

VEGETATION TYPE: Mineral Cultural Meadow CODE: CUM1

Evidence of Disturbance / Notes:

- green frogs in small pond (audible).

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

SPECIES CODE	LAYER				DISTANCE FROM RD.		COLL.
	1	2	3	4	≤5 m	>5 m	
TREES:							
SALALPA 1-VITIFOLIA	O	R	N	N	N/A		
PIC - blue spruce	N	O	N	N			
PINUS	N	O	N	N			
PICOLAUE	N	O	N	N			
LARLARC	N	O	N	N			
PINSTRO	O	O	N	N			
SHRUBS:							
GROUND:							
GRASS sp.			D	D	D	D	
SOLCANA			A	A	R	A	
TYPANGU			O	O	D	R	

Signature: A. Ducharme

(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒.

Signature: [Signature]

(Project Manager)

ELC Polygon: # 15-2 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization

ELC Polygon: #15-3 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (indicate on map)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED

UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

STICK NEST(S) IDENTIFIED

UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (*if yes, describe in table below)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED

UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

Empty space for species and habitat observations
--

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Stantec Consulting Ltd.
1 - 70 Southgate Drive
Guelph, ON
Canada N1G 4P5
Tel: (519) 836-6050
Fax: (519) 836-2493

Stantec

Project Number: 160950269

Project Name: NRWC ELC

Date: 03 July 2012

Field Personnel: A. Ducharme

Weather Conditions: TEMP (°C): 23 WIND: heavy CLOUD: cloudy PPT: raining PPT (in last 24 hrs): 0

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON: <u>15-4</u>	☐ LACUSTRINE	☐ TALUS	HISTORY ☒ NATURAL ☐ CULTURAL
	START TIME: <u>12:30</u>	☐ RIVERINE	☐ CREVICE / CAVE	
	END TIME: <u>12:45</u>	☐ BOTTOMLAND	☐ ALVAR	
		☐ TERRACE	☐ ROCKLAND	
		☐ VALLEY SLOPE	☐ BEACH / BAR	
		☐ TABLELAND	☐ SAND DUNE	
		☐ ROLL UPLAND	☐ BLUFF	
		☐ CLIFF		

STAND DESCRIPTION:

LAYER	HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>>MUCH GREATER THAN; >GREATER THAN; = ABOUT EQUAL TO)
1 CANOPY	<u>2</u>	<u>1</u>	<u>QUEMACR > FAGGRAN</u>
2 SUB-CANOPY	<u>3</u>	<u>3</u>	<u>QUEMACR > MALUS sp. > FAGGRAN</u>
3 UNDERSTOREY	<u>4.5</u>	<u>4</u>	<u>TIPANGU > GRASS sp. > SOLICANA</u>
4 GRD. LAYER	<u>6</u>	<u>4</u>	<u>GRASS sp. > TIPANGU > SOLICANA</u>

HT CODES: 1=>25m 2=10<HT≤25m 3=2<HT≤10m 4=1<HT≤2m 5=0.5<HT≤1m 6=0.2<HT≤0.5m 7=HT<0.2m

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS: ☒ <10 ☒ 10-24 ☒ 25-50 ☒ >50

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

STAND MATURITY: ☒ PIONEER ☐ YOUNG ☒ MID-AGE ☐ MATURE ☐ OLD GROWTH

VEGETATION TYPE: Cultural Savannah Hedgecove CODE: HOD/CUS

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
 ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

SPECIES CODE	LAYER				DISTANCE FROM RD.		COLL.
	1	2	3	4	≤5 m	>5 m	
TREES:							
QUFMACP	A	A	O	N	N/A		
MALUS sp.	N	A	O	N	↓		
FAGGRAN	O	O	R	N			
BLETRIA	R	N	N	N			

Signature: A. R.
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☒
Signature: A. R.
(Project Manager)

ELC Polygon: # 15-4 Assessment Type: ☒ Visual; no access / ☐ Walk through featureExtent of Physical Investigation of Feature: ☐ Entire / ☐ Partial, walk through polygon (*indicate on map*)

Reptile / Bat Hibernacula Features: Contains potential reptile hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (**if yes, describe in table below*)
 [i.e. features that would provide a route underground, including buried concrete or rock (e.g. foundations, bridge abutments or culverts with cracks/entry points, exposed rock crevices or inactive animal burrows)]
 Contains potential bat hibernacula features?
☐-Y* / ☒-N / ☐-Unknown, no access (**if yes, describe in table below*)
 [i.e. karst topography, abandoned mines or caves]

POTENTIAL HIBERNACULA FEATURE(S) IDENTIFIED			
UTM	Feature Description	Photo No.	Spp. Observed Using Feature

Bat Roosting Features: Contains potential bat roosting features?
☐-Y* / ☒-N / ☐-Unknown, no access (**if yes, describe in table below*)
 [i.e. tall trees with open surroundings, DBH >25cm, side-facing cavities ~10m high in tree]

POTENTIAL BAT ROOSTING FEATURE(S) IDENTIFIED							
UTM	Tree ID	Tree Spp.	DBH	Photo No.	Decay Class (1-5)	No. of Cavities	Height and Type of Cavities

Stick Nests: Contains large stick nests?
☐-Y* / ☒-N / ☐-Unknown, no access (**if yes, describe in table below*)

STICK NEST(S) IDENTIFIED						
UTM	Tree ID	Tree Spp.	Nest Size	Photo No.	Spp. Observed Using Feature	

Seeps/Springs/Vernal Pools: Contains seeps/springs/vernal pools?
☐-Y* / ☒-N / ☐-Unknown, no access (**if yes, describe in table below*)

SEEP / SPRING / VERNAL POOL FEATURE(S) IDENTIFIED						
UTM	Feature No. & Type	Feature Size (Diameter)	Water Depth	Photo No.	Sub/Emergent Veg. Spp. Present?	Shrubs/ Logs at Edge Present?

SPECIES & HABITAT OBSERVATIONS (list species and type of observation & indicate on map)

CA=carcass; DP=distinctive parts; FE=feeding evidence; FY=eggs/nest; HO=house/den; OB=observed; SC=scat; SI=other sign; TK=track; VO=vocalization



Coll. Title 15; Roadside ELC,
Poly 15-S Woodland & Wildlife Habitat
Assessment Form

Stantec

Project Number: 160950269

Project Name: NRW C ELC

Date: 03 July 2012

Field Personnel: A. Duchesne

Weather Conditions:

TEMP (°C):

25

WIND*

light

CLOUD

part

PPT.

DDT (in lb/acre)

POLYGON DESCRIPTION

ELC COMMUNITY DESCRIPTION & CLASSIFICATION	POLYGON:	TOPOGRAPHIC FEATURE		HISTORY
	START TIME:	☐ LACUSTRINE ☐ RIVERINE ☐ BOTTOMLAND ☐ TERRACE ☐ VALLEY SLOPE ☒ TABLELAND ☐ ROLL UPLAND ☐ CLIFF	☐ TALUS ☐ CREVICE / CAVE ☐ ALVAR ☐ ROCKLAND ☐ BEACH / BAR ☐ SAND DUNE ☐ BLUFF	☒ NATURAL ☐ CULTURAL
	END TIME:			

STAND DESCRIPTION:

LAYER		HT	CVR	SPECIES IN ORDER OF DECREASING DOMINANCE (>> MUCH GREATER THAN; > GREATER THAN; = ABOUT EQUAL TO)
1	CANOPY	2	3	FAGGRAN > TAROVAT
2	SUB-CANOPY	3	4	CORRACE > CRACOLL > FAGGRAN > HT PH
3	UNDERSTOREY	4-5	4	GRASS sp. >> SOLCANA > CORRACE
4	GRD. LAYER	6-7	4	GRASS sp. >> SOLCANA > DIPFULL

HT CODES: 1= $\geq 25m$ 2= $10 < HT \leq 25m$ 3= $2 < HT \leq 10m$ 4= $1 < HT \leq 2m$ 5= $0.5 < HT \leq 1m$ 6= $0.2 < HT \leq 0.5m$ 7= $HT \leq 0.2m$

CVR CODES: 0=NONE 1=0%<CVR≤10% 2=10<CVR≤25% 3=25<CVR≤60% 4=CVR>60% N/O=not observed

STANDING SNAGS:	R	<10	N	10 - 24	N	25 - 50	N	>50
-----------------	---	-----	---	---------	---	---------	---	-----

ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT N/O=Not observed

STAND MATURITY:	PIONEER	☒ YOUNG	☒ MID-AGE	MATURE	OLD GROWTH
-----------------	---------	---	---	--------	------------

VEGETATION TYPE:	Mineral Cultural Woodland Hedgerow	CODE:	HOD/CYWI
------------------	------------------------------------	-------	----------

	COMPLEX		CODE:
--	---------	--	-------

Evidence of Disturbance / Notes:

LAYERS: 1=CANOPY >10m 2=SUB-CANOPY 3=UNDERSTOREY 4=GROUND (GRD.) LAYER
ABUNDANCE CODES: N=NONE R=RARE O=OCCASIONAL A=ABUNDANT D=DOMINANT N/O=Not observed

[illegible]

Signature:

A3-R
(Field Personnel)

Quality Control: This form is complete ☒ & legible ☐.

Signature

(Project Manager)